ENVIRONMENTAL CLEARANCE			Government of India Ministry of Environment, Forest and Climate Char (Impact Assessment Division) To, To, Ministry of Partner NOEL VILLAS & APARTMENTS M/s Noel Villas and Apartments, Noel House, 5th Floor, Thrikkakara F Kochi, Ernakulam, Kerala-682021.,,Ernakulam,Kerala-682021			
PARIVESH	(Pro-Active and Responsive Facilitation by Interactive,	and Virtuous Environment Single-Window Hub)	Sir/Madar in respect IA/KL/MI clearance 1. EC I 2. File 3. Proj 4. Cate 5. Proj 5. Proj 6. Nam 7. Nam 8. Loc 9. TOF	under the provision of m, This is in reference to ect of project subm S/230356/2021 dated e granted to the project Identification No. No. ject Type egory ject/Activity including edule No. ne of Project me of Company/Organi ation of Project R Date ct details along with ter ards.	EIA Notifi to your ap nitted to 22 Sep 2 ct are as	plication for Environmental Clearance (EC) the Ministry vide proposal number 021. The particulars of the environmental
	PARTER I	58) 08/	number number	valid environmental c & E-Sign generated in all future corresp computer generated	d from P bondenc	

F. No. 21-59/2021-IA-III

Government of India Ministry of Environment, Forest and Climate Change (IA.III Section)

> Indira Paryavaran Bhawan, JorBagh Road, New Delhi - 3

November 15th, 2021

To,

Shri John Thomas, Managing Partner

M/s Noel Villas & Apartments Noel House, 5th Floor, Thrikkakara P.O., Kochi, Ernakulam-682021, Kerala. E. mail:drawings1@noelprojects.com

Subject: Environmental Clearance for proposed Residential Project with built-up area of 38,000 sqm at Survey Nos. 254/13-2, 254/13-3, 254/13-4, 254/13-5, 254/14-2, 255/13-2, Maradu Village, Maradu Municipality, Kanayannur Taluk, Ernakulam District, Kerala by M/s Noel Villas & Apartments – regarding.

Sir,

This has reference to your Application/Proposal No. IA/KL/MIS/230356/2021; received on 22nd September, 2021 through Parivesh Portal for Environmental Clearance (EC) for Proposed Residential Project with built-up area of 38,000 sqm at Survey Nos. 254/13-2, 254/13-3, 254/13-4, 254/13-5, 254/14-2, 255/13-2, Maradu Village, Maradu Municipality, Kanayannur Taluk, Ernakulam District, Kerala by M/s Noel Villas & Apartments.

2. As per the provisions of the Environment Impact Assessment (EIA) Notification, 2006; as amended and notified under the Environment (Protection) Act, 1986 (29 of 1986), the above-mentioned project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level. However, due to non-existence of SEIAA in Kerala, the proposal required appraisal at Central level by sectoral EAC.

3. Accordingly, the abovementioned proposal for Environmental Clearance has been examined by the Expert Appraisal Committee (Infra-2) in its 73rd meeting held on 29th September, 2021.

4. The details of the project, as per the application and documents submitted by the project proponent, and also as informed during the abovementioned meeting of EAC (Infra-2) are as under:

- The project is located at Survey Nos. 254/13-2, 254/13-3, 254/13-4, 254/13-5, 254/14-2, 255/13-2, Maradu Village, Maradu Municipality, Kanayannur Taluk, Ernakulam District, Kerala with coordinates 09"55'33.43"N to 09°55'36.29"N Latitude and 76°18'56.84"E to 76°19'2.77"E Longitude.
- ii. The project is new.

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Date of Issue EC - 18/11/2021

The project will comprise of 1 no. of residential apartment tower. The iii total plot area is 7,480 sqm, FSI area is 29,000 sqm and total construction (Built-up) area 38,000 sqm. Total 132 nos of flats shall be developed. Maximum height of the building is 57 m. The details of building are as follows:

Name of Building	Max. no. of floors	Max. Height	Built-up area		
One Residential	Ground + 17	57 meters	38,000 sqm		
Building Block	Upper floors				

- During construction phase, total water requirement is expected to be iv. 46 KLD which will be met by recycled water from portable STP for construction purposes. Domestic water requirement of 11 KLD for labourers will be met from Kerala Water Authority (KWA) supply/Ground water. During the construction phase, portable STP will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labor force.
- During operational phase, total water demand of the project is expected ν. to be 106 KLD (fresh water 63 KLD + 43 KLD recycled from STP). Fresh water demand of 63 KLD will be met by KWA/stored rainwater tank (95 KL capacity)/ ground water (2 Nos open wells and 1 no. bore well). Wastewater generated (81 KLD) will be treated in STP of total 100 KLD capacity. 73 KLD of treated wastewater will be generated of which 43 KLD will be recycled and re-used (38 KLD for flushing, 5 KLD for gardening etc.). About 30 KLD treated water from STP will be disposed in to municipal drain.
- About 300 kg/day municipal solid waste will be generated in the vi. project. The biodegradable waste (150 kg/day) will be processed in biogas generation unit and the non-biodegradable waste generated (150 kg/day) will be handed over to authorized local vendor.
- Total power requirement during construction phase is 100 kW and will vii. be met from Kerala State Electricity Board (KSEB) and DG Sets (standby). Total power requirement during operation phase is 1,500 KW and will be met from KSEB and DG Sets (2 X160 kVA) for standby.
- There is an old single storey building within the site and the same would viii. be demolished. The demolition debris and the construction debris would be used for site preparatory works.
- Rooftop rainwater of buildings will be collected in RWH tank of total 95 ix. KL capacity for harvesting after filtration.
- Parking facility for 275 four wheelers and 60 two wheelers is proposed х. to be provided against the requirement of 230 four wheelers and 58 Two wheelers respectively (according to local norms).
- 15 nos. of 330 W solar panels would be installed in the roof and 5% of xi. the power requirement for Common amenities would be met by Solar energy.
- The project is not located in Critically Polluted area. xii.
- Mangalavanam Bird Sanctuary is situated at about 8 km (NW) (aerial xiii. distance) from the site. Therefore, NBWL Clearance is required. Application for obtaining NBWL Clearance has been submitted at MoEF&CC vide proposal no. FP/KL/Others/6047/2021 dated 22.09.2021. The project site does not fall within the ESZ of the Mangalavanam Bird Sanctuary as per the Draft Notification issued by MoEF&CC dated 07.09.2020.

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Date of Issue EC - 18/11/2021

- xv. The project does not fall in CRZ Area.
- xvi. No court case is pending against the project.
- xvii. Total area for landscaping proposed is 1,520 sqm (about 20% of total plot area). 5 trees are proposed to be cut for the project for which compensatory plantation will be done. Plantation of total 289 trees is proposed within the site.
- xviii. Expected timeline for completion of the project About 36 months from the date of start of construction
- xix. Investment/Cost of the project is Rs. 99.50 Crores.
- xx. Employment potential About 150 persons during construction phase.
- xxi. Benefits of the project Employment opportunities & revenue to the State. The residential project would provide better residential facilities with supporting infrastructure facilities and amenities to the residents.

5. The EAC (Infra 2), based on information and clarifications provided by the project proponent and detailed discussions held on the issues, has recommended granting environment clearance to the project. The aforesaid recommendation of EAC (Infra-2) is subject to certain specific conditions, as stipulated during its 73rd meeting held on 29th September, 2021.

6. Based on recommendations of EAC (Infra-2), the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project for Proposed Residential Project with built-up area of 38,000 sqm at Survey Nos. 254/13-2, 254/13-3, 254/13-4, 254/13-5, 254/14-2, 255/13-2, Maradu Village, Maradu Municipality, Kanayannur Taluk, Ernakulam District, Kerala by M/s Noel Villas & Apartments, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the following specific and standard conditions:

A. Specific Conditions:

- Prior Clearance from standing committee of NBWL should be obtained before commencing the project.
- ii. PP shall obtain building height clearance from Kochi Naval Airport before commencing the project.
- Abstraction of ground water shall be subject to the permission of Central Ground Water Authority (CGWA). Fresh water requirement shall not exceed 63 KLD during operational phase.
- iv. As proposed, wastewater shall be treated in an onsite STP of total 100 KLD capacity. Atleast 43 KLD of treated water from the STP shall be recycled and re-used for flushing (38 KLD) and for gardening (5 KLD). The PP shall explore options for recycle and reuse of excess treated water (30 KLD) generated in the project.
- v. The project proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet scats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- vi. Area for greenery shall be provided as per the details provided in the project document i.c., area under plantation/greenery will be 1,520 sqm. As proposed, at least 289 trees shall be maintained during the EC Identification No. EC21A038KL167841 File No. 21-59/2021-IA-III Date of Issue EC 18/11/2021 Page 4 of 13

Proposal No. IA/KL/MIS/230356/2021

Billon

operation phase of the project. The landscape planning should include plantation of native species. A minimum of 01 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Plantations to be ensured species (cut) to species (planted). The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.

- vii. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, RWH tank of total 95 KL capacity shall be provided by PP for rain water harvesting after filtration.
- viii. The solid waste shall be duly segregated into biodegradable and nonbiodegradable components and handled in separate area earmarked for segregation of solid waste, as per SWM Rules, 2016. As committed, biodegradable waste shall be utilized through the Bio-Gas generation plant to be installed within the site. Inert waste shall be disposed off as per norms at authorized site. The recyclable waste shall be sold to authorized vendors/recyclers.Construction & Demolition (C&D) waste shall be segregated and managed as per C&D Waste Management Rules, 2016.
 - The PP shall provide electric charging points in parking areas for evehicles as committed.
 - x. As committed, PP shall install roof top solar panels to meet atleast 5% of power requirement for common amenities through solar energy.
 - xi. The Environmental Clearance to the project is primarily under provisions of EIA Notification, 2006. The Project Proponent is under obligation to obtain approvals/clearances under any other Acts/ Regulations or Statutes as applicable to the project.

B. Standard Conditions:

I. Statutory compliance:

- The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- The approval of the Competent Authority shall be obtained for structural safety of buildings due to carthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
- iii. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
- iv. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- v. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Date of Issue EC - 18/11/2021 Page

- vi. The project proponent shall obtain the necessary permission for drawl of ground water/surface water required for the project from the competent authority.
- vii. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- viii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
 - ix. The provisions of the Solid Waste Management Rules, 2016, c-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.
 - x. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

II. Air quality monitoring and preservation:

- Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5}) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
 - ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Date of Issue EC - 18/11/2021 Page 6 of 13

managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.

- The diesel generator sets to be used during construction phase shall be x. low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- The gaseous emissions from DG set shall be dispersed through xi. adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- For indoor air quality the ventilation provisions as per National Building xii. Code of India.

Water quality monitoring and preservation: Ш.

- The natural drain system should be maintained for ensuring i. unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- Buildings shall be designed to follow the natural topography as much ii. as possible. Minimum cutting and filling should be done.
- The quantity of fresh water usage, water recycling and rainwater iii. harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- A certificate shall be obtained from the local body supplying water, iv. specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- At least 20% of the open spaces as required by the local building byeν. laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- Installation of dual pipe plumbing for supplying fresh water for vi. drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- Use of water saving devices/fixtures (viz. low flow flushing systems; use vii. of low flow faucets tap aerators etc.) for water conservation shall be incorporated in the building plan.
- Separation of grey and black water should be done by the use of dual viii. plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
 - Water demand during construction should be reduced by use of preix. mixed concrete, curing agents and other best practices referred.
 - Rain water harvesting recharge pits/storage tanks shall be provided for х. ground water recharging as per the CGWB norms.

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Date of Issue EC - 18/11/2021 BRAN M

- xi. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xii. All recharge should be limited to shallow aquifer.
- xiii. No ground water shall be used during construction phase of the project.
- xiv. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- xv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- xvi. No sewage or untreated effluent water would be discharged through storm water drains.
- xvii. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- xviii. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xix. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

IV. Noise monitoring and prevention:

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- Acoustic enclosures for DG sets, noise barriers for ground-run bays, car plugs for operating personnel shall be implemented as mitigation

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Date of Issue EC - 18/11/2021

Proposal No. IA/KL/MIS/230356/2021



Page 8 of 13 Page 7 of 12

Energy Conservation measures: v.

- Compliance with the Energy Conservation Building Code (ECBC) of i. Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- Outdoor and common area lighting shall be LED. ii.
- Concept of passive solar design that minimize energy consumption in iii. buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass ctc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- Energy conservation measures like installation of CFLs/ LED for the iv. lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- Solar, wind or other Renewable Energy shall be installed to meet V., electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- Solar power shall be used for lighting in the apartment to reduce the vi. power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

Waste Management: VI.

- A certificate from the competent authority handling municipal solid i. wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- Disposal of muck during construction phase shall not create any ii. adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- Separate wet and dry bins must be provided in each unit and at the iii. ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- All non-biodegradable waste shall be handed over to authorized iv. recyclers for which a written tie up must be done with the authorized recyclers.
- Any hazardous waste generated during construction phase, shall be v. disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- Use of environment friendly materials in bricks, blocks and other vi. construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- Fly ash should be used as building material in the construction as per vii. the provision of Fly Ash Notification of September, 1999 and amended

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Date of Issue EC - 18/11/2021 Page 9 of 13 NOTA

as on 27th August, 2003 and 25th January, 2016. Ready mixed concretemust be used in building construction.

- viii. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
 - ix. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VII. Green Cover:

- i. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- ii. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iii. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

VIII. Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- ii. Vchicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-II Date of Issue EC - 18/11/2021 Page 10 of 13

mal Con

consent to the implementation of components of the plan which involve the participation of these departments.

IX. Human health issues:

- All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- For indoor air quality the ventilation provisions as per National Building Code of India.
- Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

X. Miscellaneous:

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF86CC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

EC Identification No. - EC21A038KL167841 File No. - 21-59/2021-IA-III Pate of Issue EC - 18/11/2021

- vi. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- vii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
- viii. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
 - ix. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
 - x. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
 - xi. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.
- xii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
- xiii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiv. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xv. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xvi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xvii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xviii. Any appeal against this EC shall lic with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Proposal No. IA/KL/MIS/230356/2021

7. The Environmental Clearance is being granted to M/s Noel Villas & Apartments for Proposed Residential Project with built-up area of 38,000 sqm at Survey Nos. 254/13-2, 254/13-3, 254/13-4, 254/13-5, 254/14-2, 255/13-2, Maradu Village, Maradu Municipality, Kanayannur Taluk, Ernakulam District, Kerala.

This issues with the approval of the Competent Authority.

(Dr. Dharmendra Kumar Gupta) Director (S)

Copy to:

- Principal Secretary, Government of Kerala, Department of Environment & Climate Change (DoECC), Devikripa, Pallimukku Pettah P.O., Thiruvananthapuram-695024, Kerala
- Regional Officer, (Southern Zone), IRO, Ministry of Environment, Forest and Climate Change, Kendriya Sadan, 4th Floor, E&F Wings, 17th Main Road, Koramangala, II Block, Bengaluru – 560034.
- Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- Member Secretary, Kerala State Pollution Control Board, Head Office, Pattom. P. O., Thiruvananthapuram-695004.
- 5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6. Guard File/ Record File/ Notice Board/MoEF&CC website.

(Dr. Dharmendra Kumar Gupta) Director (S)

Proposal No. 1A/KL/MIS/230356/2021